

IN THE CLAIMS:

Please cancel Claims 33, 34, 36, 37, 44, 48 and 49 without prejudice or disclaimer of the subject matter recited therein.

Please amend Claims 32, 35, 39, 40, 47 as follows.

Claims 1-31. (Cancelled).

32. (Currently Amended) An image display apparatus comprising:
a plurality of display devices wired in a matrix through a plurality of scanning signal wirings and a plurality of modulated signal wirings; and
a driving circuit configured to apply a modulated signal having a modulated pulsewidth to each of said plurality of modulated signal wirings,
wherein said driving circuit has a plurality of ~~charge paths connected to each transistors connected in parallel to one~~ of the plurality of modulated signal wirings, wherein the plurality of transistors include a first transistor and a second transistor, and a time period in which the first transistor is in an on state and a time period in which the second transistor is in an on state are different from each other ~~charge paths are connected in parallel to each of the plurality of modulated signal wirings, and the number of charge paths that are driven is changed in a time period for applying one modulated signal to the one display device.~~

Claims 33 and 34. (Cancelled).

35. (Currently Amended) The apparatus according to claim 32, wherein at least one of the plurality of ~~charge paths~~ transistors is connected to a predetermined potential.

Claims 36-38. (Cancelled).

39. (Currently Amended) The apparatus according to claim ~~34~~ 32, further comprising a circuit for determining the operation states of the plurality of ~~charge paths~~ transistors.

40. (Currently Amended) The apparatus according to claim 32, wherein said driving circuit comprises a rise circuit for raising the signal level of the modulated signal and a ~~separate~~ fall circuit for causing the signal level of the modulated signal to fall.

41. (Previously Presented) The apparatus according to claim 32, wherein each said display device comprises an electron-emitting device.

Claims 42-46. (Cancelled).

47. (Currently Amended) An image display apparatus, comprising:
a plurality of display devices wired in a matrix through a plurality of scanning signal wirings and a plurality of modulated signal wirings; and
a driving circuit configured to apply a pulse signal as a modulated signal having a modulated pulsewidth to each of the plurality of modulated signal wirings,
wherein at least one pulse signal has a first portion ~~having a signal level to be lower than a maximum level of the pulse signal~~ at the leading edge of the pulse signal[[,]]
and a second portion ~~having a signal level to be lower than the maximum level~~ at the trailing edge of the pulse signal, wherein
in the first portion, a signal level of the pulse rises up to a first predetermined level which is lower than a maximum level of the pulse signal and is maintained at the first predetermined level, and wherein
in the second portion, a signal level of the pulse falls down to a second predetermined level which is lower than the maximum level of the pulse signal and is maintained at the second predetermined level.

Claims 48 and 49. (Cancelled).